Division of Health Care Facilities

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	TN0702	A. BUILDING. 01 - MAIN BUILDING 01 B. WING _____	11/14/2017

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
TENNOVA LAFOLLETTE HEALTH AND REHAB	200 TORREY ROAD LAFOLLETTE, TN 37766

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
N 002	1200-8-6 No Deficiencies During the Life Safety portion of the annual Licensure survey conducted on 11/14/2017, no deficiencies were cited under 1200-08-6, Standards for Nursing Homes.	N 002		

Division of Health Care Facilities
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE — TITLE — (X6) DATE

Administrator — 11/29/17